

ŠPECIFIKÁCIA VÝSTUŽE

Dom smútku

OZNAČ. VÝSTUŽ. PRVKU	POL.	PROFIL	DĹŽKA mm	KS						
					R6	R10	R12	R14	R18	R8
D 10 spodný povrch	1	R8	6000	2						12
	2	R8	5500	1						5,5
	3	R8	5000	1						5
	4	R8	4500	1						4,5
	5	R8	4000	1						4
	6	R8	3500	1						3,5
	7	R8	3000	1						3
	8	R8	2 500	1						2,5
	9	R8	550	2						1,1
	10	R8	800	2						1,6
	11	R8	1 050	2						2,1
	12	R8	1 300	2						2,6
	13	R8	1 550	2						3,1
	14	R8	1 800	2						3,6
	15	R8	2 050	2						4,1
	16	R8	2 130	9						19,17
	17	R8	7 180	2						14,36
	18	R8	6 680	2						13,36
	19	R8	6 180	2						12,36
	20	R8	5 680	2						11,36
	21	R8	5 180	2						10,36
	22	R8	4 680	2						9,36
	23	R8	4 180	2						8,36
	24	R8	3 680	2						7,36
	25	R8	3 180	2						6,36
	26	R8	2 680	2						5,36
	27	R8	2 180	2						4,36
	28	R8	1 680	2						3,36
	29	R8	1 180	2						2,36
	30	R8	680	2						1,36
	31	R10	740	4		2,96				
	32	R10	940	4		3,76				
	33	R10	1 140	4		4,56				
	34	R10	1 340	4		5,36				
	35	R10	1 540	4		6,16				
	36	R10	1 740	4		6,96				
	37	R10	1 940	4		7,76				
	38	R10	2 140	4		8,56				
	39	R10	2 340	4		9,36				
	40	R10	2 540	4		10,16				
	41	R10	2 740	4		10,96				
	42	R10	2 940	4		11,76				
	43	R10	3 140	4		12,56				
	44	R10	3 340	4		13,36				
	45	R10	3 540	4		14,16				
	46	R10	3 740	2		7,48				
Dĺžka celkom bm					0,0	135,88	0	0,0	0,0	187,4
Hmotnosť kg/m					0,222	0,617	0,888	1,208	2,000	0,395
Hmotnosť kg					0,0	83,8	0,0	0,0	0,0	74,0
Hmotnosť spolu kg					157,9					

OZNAČ. VÝSTUŽ. PRVKU	POL.	PROFIL	DĚLKA mm	KS						
					R6	R10	R12	R14	R18	R8
D 10 horný povrch	1	R8	1080	197						212,76
	2	R10	128000	1		128				
Děška celkom bm					0,0	128	0	0,0	0,0	212,8
Hmotnosť kg/m					0,222	0,617	0,888	1,208	2,000	0,395
Hmotnosť kg					0,0	79,0	0,0	0,0	0,0	84,0
Hmotnosť spolu kg					163,0					

OZNAČ. VÝSTUŽ. PRVKU	POL.	PROFIL	DĚLKA mm	KS						
					R6	R10	R14	R12	R16	R8
S10	1	R12	3 250	24				78		
	2	R6	1 080	72	77,8					
K2	1	R12	1 925	12				23,1		
	2	R6	1 080	20	21,6					
	3	R12	2 125	12				25,5		
S11	1	R12	3 630	12				43,56		
	2	R6	1 080	42	45,4					
K1	1	R12	1 950	6				11,7		
	2	R6	1 080	10	10,8					
	3	R12	2 150	6				12,9		
Děška celkom bm					155,5	0	0	194,76	0,0	0,0
Hmotnosť kg/m					0,222	0,617	1,208	0,888	1,578	0,395
Hmotnosť kg					34,5	0,0	0,0	172,9	0,0	0,0
Hmotnosť spolu kg					207,5					

OZNAČ. VÝSTUŽ. PRVKU	POL.	PROFIL	DĚLKA mm	KS						
					R6	R10	R20	R12	R16	R8
P10	1	R10	3 490	1		3,49				
	2	R12	2 650	3				7,95		
	3	R10	2 850	1		2,85				
	4	R10	3 200	1		3,2				
	5	R6	1 270	18	22,9					
P11	1	R10	4 020	2		8,04				
	2	R10	3 880	2		7,76				
	3	R10	3 640	2		7,28				
	4	R12	3 300	6				19,8		
	5	R6	1 270	44	55,9					
P12	1	R10	7 840	2		15,68				
	2	R10	7 970	2		15,94				
	3	R10	8 475	2		16,95				
	4	R12	4 300	4				17,2		
	5	R6	1 360	98	133,3					
	6	R10	7 160	2		14,32				
	7	R12	7 400	4				29,6		
V10	1	R10	166 000	1		166				
	2	R6	1 260	210	264,6					
	A	R10	1 340	4		5,36				
	B	R6	860	13	11,2					
	C	R10	1 200	8		9,6				
	D	R10	1 200	12		14,4				
	E	R10	1 200	4		4,8				

	F	R6	1 060	16	17,0					
Dĺžka celkom bm					504,8	295,67	0	74,55	0,0	0,0
Hmotnosť kg/m					0,222	0,617	2,466	0,888	1,578	0,395
Hmotnosť kg					112,1	182,4	0,0	66,2	0,0	0,0
Hmotnosť spolu kg					360,7					
Hmotnosť celkom kg					889,1					

